# Specifications

Eaton EVMAGU23X-E

Eaton Managed Rack PDU G4, 0U, 41U, universal input, 5-23kW, 16-55A, 200-415V, 42 outlets (24)C13 (18)C39, end entry power cord

General specifications	
PRODUCT NAME	Eaton managed PDU
CATALOG NUMBER	EVMAGU23X-E
UPC	786689812393
PRODUCT LENGTH/DEPTH	2.05 in
PRODUCT HEIGHT	72 in
PRODUCT WIDTH	2.56 in
PRODUCT WEIGHT	13.7 lb
COMPLIANCES	FCC part 15 class A CAN ICES-003 class A
CERTIFICATIONS	UL 62368-1 IEC 62368-1 CE cTUVus UL 2900-1 IEC 62443-4-2
PRODUCT TYPE	Managed PDU

Product specifications

FORM FACTOR	0U (Vertical)
PHASE	Three-phase
INPUT VOLTAGE	100-240V
INPUT CONNECTION	Universal
OUTLETS	(24) C13, (18) C39
OPERATING TEMPERATURE	0° to 60°C (32° to 140°F)

Resources

BROCHURES	Eaton Rack PDU G4 full-line brochure
	Eaton Universal Input Rack PDU G4 (UPDU) Brochure
CERTIFICATION REPORTS	Eaton Rack PDU Gigabit Network Module IEC 62443-4-2 certification
	Eaton Rack PDU Gigabit Network Module UL 2900-1 certification
DRAWINGS	Eaton G4 Rack PDU EVMAGU23X-E Drawing
END OF LIFE NOTIFICATIONS	Eaton Power Distribution Unit (PDU) EOL notification
INSTALLATION INSTRUCTIONS	Eaton Environmental Monitoring Probe Gen 2 installation instructions
MANUALS AND USER GUIDES	Eaton Rack PDU G4 Quick Start Guide
	Eaton Rack PDU G4 Gigabit Network Module (GNM) Firmware User Guide
	Eaton Rack PDU G4 Installation and Setup Guide
MULTIMEDIA	Eaton Rack PDU G4 (youtube.com)
	Eaton Universal Input Rack PDU (UPDU) - YouTube
	Eaton Universal Input Rack PDU G4 Installation (youtube.com)
SOFTWARE, FIRMWARE, AND APPLICATIONS	Eaton Rack PDU G4 firmware and release notes
WHITE PAPERS	Eaton Zero Touch Provisioning with Eaton Gigabit Network Interfaces

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Follow us on social media to get the latest product and support information.